

Plan No	Series	Drawing Name	Draw
00-013	A	Drop Centre drawing and truck Dr60C1	Dr60C1
23-100	A	General arrangement of underframe Dr27C6	Dr27C6
23-101	A	Details of upper body panels Dr27C6	Dr27C6
23-102	A	Step bracket Dr27C6	Dr27C6
23-103	A	Details of carline at open compartment Dr27C6	Dr27C6
23-104	A	Detail of cant rail Dr27C6	Dr27C6
23-1044	A	Passenger capacity Dr27C5	Dr27C5
23-105	A	BTT Axle box lubricating pad by 3 Dr27C6	Dr27C6
23-106	A	Axle box guide wearing strips by 2 Dr27C6	Dr27C6
23-107	A	31ins Standard wheel centre Type A Dr27C6	Dr27C6
23-1086	A	Diagrams of 64 set car brake gear Dr27C8	Dr27C8
23-1087	A	Diagrams of 64 set car brake gear on long wheelbase welded trucks Dr27C8	Dr27C8
23-1088	A	Diagrams of 64 set car air brake on welded trucks Dr27C8	Dr27C8
23-1089	A	Diagrams of 64 set car brake gear on long wheelbase welded trucks as first cars Dr27C8	Dr27C8
23-109	A	21ins Pony wheel centre Type D Dr27C6	Dr27C6
23-1090	A	Brake Diagrams of 64 set car on welded trucks Dr27C8	Dr27C8
23-1100	A	Effect of stopping cars on grades seated load GE 275 motors Dr27C8	Dr27C8
23-111	A	Standard wheel tyres Types A and D Dr27C6	Dr27C6
23-112	A	58 tooth short addendum gear GE 275 motor Dr27C6	Dr27C6
23-113	A	14 tooth long addendum pinion GE 275 motor Dr27C6	Dr27C6
23-114	A	Motor axle bearing - GE 275 motor Dr27C6	Dr27C6
23-115A	A	Dropcentre Pony axle Dr27C6	Dr27C6
23-116	A	14 tooth long addendum pinion GE 275 motor Dr27C6	Dr27C6
23-118	A	Brake hanger - pin & bush Dr27C6	Dr27C6
23-119	A	Body brake rigging adjustable rod Dr27C6	Dr27C6
23-120	A	Westinghouse Air Brakes Mild steel brackets Dr27C6	Dr27C6
23-121	A	Westinghouse Air Brakes Framing details for reservoir assembly Dr27C6	Dr27C6
23-1216	A	Diagrams of air brake operation DC car Dr27C8	Dr27C8
23-122	A	Westinghouse Air Brakes Mounting details on car floor Dr27C6	Dr27C6
23-123	A	Emergency air brake pipe guards Dr27C6	Dr27C6
23-124	A	Air brake reservoir for drop centre cars Dr27C6	Dr27C6
23-125	A	Hand brake gear box Dr27C6	Dr27C6

Plan No	Series	Drawing Name	Draw
23-126	A	Blank for brake gear pinion Dr27C6	Dr27C6
23-127	A	Hand brake - winding gear - chain & anchor Dr27C6	Dr27C6
23-128	A	C S grinding block for pony wheels Dr27C6	Dr27C6
23-129	A	Wheel trueing brake blocks for welded trucks Dr27C6	Dr27C6
23-130	A	C I brake blocks for pony wheels patterns C and D Dr27C6	Dr27C6
23-131	A	C I brake blocks for driving wheels patterns A and B Dr27C6	Dr27C6
23-132	A	Abrasive blocks for wheel trueing brake blocks - driving & pony wheels Dr27C6	Dr27C6
23-133	A	Detail of roller for side destination sign Dr27C6	Dr27C6
23-134	A	Anti rattle fitting Saloon doors Dr27C6	Dr27C6
23-135	A	Window glass dimensions for Drop Centre Cars Dr27C6	Dr27C6
23-136	A	Tension spring Union standard trolley D2 Dr27C6	Dr27C6
23-137	A	Detail of double seat Dr27C6	Dr27C6
23-138	A	Standard trolley pole Dr27C6	Dr27C6
23-141	A	Westinghouse Air Brakes Live lever 2 way link Dr27C6	Dr27C6
23-142	A	Westinghouse Air Brakes Anchor bracket for brake piston lever Dr27C6	Dr27C6
23-143	A	Westinghouse Air Brakes Brake levers Dr27C6	Dr27C6
23-144	A	Westinghouse Air Brakes Slotted pull rod far hand brakes Dr27C6	Dr27C6
23-145	A	Westinghouse Air Brakes Anchor bolt & links Dr27C6	Dr27C6
23-148	A	Safety valve - General arrangement Dr27C6	Dr27C6
23-149	A	Westinghouse Air Brakes Type D double check valve assembly Dr27C6	Dr27C6
23-150	A	Tramcar Compressor Portable testing set Dr27C6	Dr27C6
23-151	A	Arrangement of test rank relay valves Type E Dr27C6	Dr27C6
23-152	A	Test rack diagram type W self lapping valve Dr27C6	Dr27C6
23-153	A	Bench layout Air brake valve testing Dr27C6	Dr27C6
23-154	A	Diagram of test rack - D.H. 16 Air compressor Dr27C6	Dr27C6
23-155	A	Standard Drop Centre Car Dr27C5	Dr27C5
23-156	A	Seating arrangement Dr27C5	Dr27C5
23-157	A	1935 type drop centre car Dr27C5	Dr27C5
23-158	A	Drop Centre Car Dr27C5	Dr27C5
23-160	A	Proposed improvements Dr27C5	Dr27C5
23-161	A	Front elevation Dr27C5	Dr27C5
23-162	A	Original type Drop Centre Car 64 Seat outline Dr60C1	Dr60C1

Plan No	Series	Drawing Name	Draw
23-163	A	Drop Centre Car 64 Seat outline Dr60C1	Dr60C1
23-170	A	Diagram of 64 seat car Dr62C1	Dr62C1
23-170	A	1923 Diagram of 64 seat car Dr27C5	Dr27C5
23-77	A	Glass for amber lamp Dr27C6	Dr27C6
23-833	A	Dropcentre light wiring with side light and two light at each end Dr60C1	Dr60C1
23-91	A	diagram of tram seat Dr27C6	Dr27C6
23-97	A	outline of windscreens Dr27C6	Dr27C6
26-67	A	Track Brake Details Dr60C1	Dr60C1
27-1010	A	Pony brake beam Dr27C2	Dr27C2
27-1011	A	Driver brake beam Dr27C2	Dr27C2
27-1012	A	Brake shoe pony and driver Dr27C2	Dr27C2
27-1114	A	T- bolt - axle box lid Dr27C2	Dr27C2
27-369	B	Extended truck Main brake hanger bracket type D Dr27C1	Dr27C1
27-370	B	Extended Truck Pony brake hanger bracket type D Dr27C1	Dr27C1
27-414	A	Vertical grab rail seat socket 1ins diameter tube Dr27C1	Dr27C1
27-415	A	Door grab rail end bracket 1ins diameter tube Dr27C1	Dr27C1
27-416	A	Flange 1ins diameter tube Dr27C1	Dr27C1
27-417	A	Flange 1 1-4ins diameter tube Dr27C1	Dr27C1
27-418	A	Tee piece 1x1x1-4 diameter tubes Dr27C1	Dr27C1
27-419	A	Tee piece 1 1-4 x 1 1-4 x 1 diameter tubes Dr27C1	Dr27C1
27-420	A	Intermediate ceiling bracket 1ins diameter tube Dr27C1	Dr27C1
27-421	A	End ceiling bracket 1ins diameter tube Dr27C1	Dr27C1
27-550	A	Coil springs Dr27C1	Dr27C1
27-732	B	Axle box plug Dr27C1	Dr27C1
27-733	A	Open truck - brake shoe hanger pin - pony wheel Dr27C1	Dr27C1
27-734	A	Open truck - brake shoe hanger pin - driver wheel Dr27C1	Dr27C1
27-735	A	Distance piece for mounting windscreen wiper motors Dr27C1	Dr27C1
27-756	A	Open and extended trucks - dead lever bush ends Dr27C1	Dr27C1
27-757	A	Extended truck - brake shoe hanger link BP Dr27C1	Dr27C1
27-757	A	Extended truck - brake shoe hanger link Dr27C1	Dr27C1
27-758	A	Open truck - U bolt square type - brake hanger Dr27C1	Dr27C1
27-762	B	Air brake - Screwed bush - drivers seat Dr27C1	Dr27C1

Plan No	Series	Drawing Name	Draw
27-763	A	Extended truck - modified bronze bush - brake hanger Dr27C1	Dr27C1
27-764	E	Extended Truck - Modified pin End brake hanger bracket & spreader bar Dr27C1	Dr27C1
27-765	A	Extended truck - modified bronze bush - brake shoe Dr27C1	Dr27C1
27-766	C	Extended truck - pin - brake shoe & Hanger bracket Dr27C1	Dr27C1
27-767	A	Open & extended trucks - pin - dead lever hanger bracket Dr27C1	Dr27C1
27-768	A	Open & extended trucks - Dead lever centre bush Dr27C1	Dr27C1
27-769	B	Open & extended trucks - drum beam link pin (top) Dr27C1	Dr27C1
27-770	A	Open & extended trucks - locking washer - brakehanger Dr27C1	Dr27C1
27-774	A	Open & extended trucks - Pony brake beam bush Dr27C1	Dr27C1
27-775	B	Open & extended trucks - Pony brake beam bead lever pin Dr27C1	Dr27C1
27-776	B	Open & extended trucks - Turnbuckle pins Dr27C1	Dr27C1
27-777	A	Open & extended trucks - Brake shoe split bush Dr27C1	Dr27C1
27-778	A	Extended truck - adjust. screw - brake retriever arm bracket Dr27C1	Dr27C1
27-779	A	Extended truck - spacer - brake retriever arm Dr27C1	Dr27C1
27-780	A	Handbrake anchor shackle pin Dr27C1	Dr27C1
27-783	A	Extended truck - steel bush - brake shoe Hanger Brkt Dr27C1	Dr27C1
27-784	A	Extended truck - steel bush - brake shoe Hanger Brkt Dr27C1	Dr27C1
27-785	A	Open & Extended trucks - Frame yoke liners - pony & driver Dr27C1	Dr27C1
27-786	A	Open & Extended trucks - Axle box guide lines Dr27C1	Dr27C1
27-787	A	Open truck - steel bush - brake shoe - pony wheel Dr27C1	Dr27C1
27-788	B	Open truck - steel bush - brake hanger bracket pony Dr27C1	Dr27C1
27-789	A	Open truck - steel bush - brake shoe hanger brkt Dr27C1	Dr27C1
27-790	B	Extended truck - brake hanger link for -3 4ins hex pin Dr27C1	Dr27C1
27-791	A	Open & Extended trucks - brake beam link bush - bottom Dr27C1	Dr27C1
27-793	A	Open & Extended trucks - Bolster swing link Dr27C1	Dr27C1
27-799	A	Bush fork end of turnbuckle Dr27C1	Dr27C1
27-802	A	Ext. truck - U bolt - brake hanger bracket Driving Dr27C2	Dr27C2
27-803	A	Ext. truck - Apron plate centre bearing bush Dr27C2	Dr27C2
27-804	A	Motorman brake valve - type W - top bush Dr27C2	Dr27C2
27-806	A	Motorman brake valve - type W - control handle skere Dr27C2	Dr27C2
27-811	A	Wearing strip - live lever Dr27C2	Dr27C2
27-814	A	Open truck - bush - brake shoe brake hanger bracket Dr27C2	Dr27C2

Plan No	Series	Drawing Name	Draw
27-818	A	Extended truck - brass wearing plate - centre bearing apron Dr27C2	Dr27C2
27-828	A	Carrier bracket - hand brake lever C Dr27C2	Dr27C2
27-833	A	Top bush - drop centre live lever Dr27C2	Dr27C2
27-834	A	Trolley pole base spindle two spring type Dr27C2	Dr27C2
27-835	A	Packing wedge - bolster side bearing block Dr27C2	Dr27C2
27-836	A	Packing strip - Bolster side bearing block Dr27C2	Dr27C2
27-838	A	Gauge for adjusting brake blocks Dr27C2	Dr27C2
27-841	A	Bush 1-2ins long - brake beam link bracket under apron plate Dr27C2	Dr27C2
27-842	A	Bush 3-4ins long - brake beam link bracket under apron plate Dr27C2	Dr27C2
27-843	A	Spigot ring - centre bearing Airbrake trams Dr27C2	Dr27C2
27-845	A	Brake blocks - driving wheels Dr27C2	Dr27C2
27-846	A	Brake blocks - pony wheels Dr27C2	Dr27C2
27-851	A	Bush - dead lever hanger bracket Dr27C2	Dr27C2
27-854	A	open truck Mudguard U bolt - driving wheels Dr27C2	Dr27C2
27-855	A	Air brake - nut for screwed bush - drivers seat Dr27C2	Dr27C2
27-856	A	Trolley wheel washer Dr27C2	Dr27C2
27-857	A	Thrust washer - motormans seat Dr27C2	Dr27C2
27-865	A	Axle box keep - pony wheel Dr27C2	Dr27C2
27-866	A	Axle box keep - driving wheel Dr27C2	Dr27C2
27-870	A	Turnbuckle forks - open and extended trucks Dr27C2	Dr27C2
27-871	A	Axle bearing brass - pony wheel Dr27C2	Dr27C2
27-872	A	Axle bearing brass - driver axle Dr27C2	Dr27C2
27-880	A	Seat back Stanchion sockets - type A Dr27C2	Dr27C2
27-895	A	Ferrule 3-8ins copper pipe - air brakes Dr27C2	Dr27C2
27-896	A	Ferrule 1-2ins copper pipe - air brakes Dr27C2	Dr27C2
27-897	A	Axle collar bolt - GE 275 motor Dr27C2	Dr27C2
27-898	A	Brake retriever arm bracket - extended truck Dr27C2	Dr27C2
27-899	A	Spigot ring - centre bearing Handbrake trams Dr27C2	Dr27C2
27-903	A	Driver brake beam & live lever centre pin Dr27C2	Dr27C2
27-907	A	Dead lever - type A - open truck Dr27C2	Dr27C2
27-908	A	Dead lever - type B - open truck Dr27C2	Dr27C2
27-909	A	Dead lever - type C - extended truck Dr27C2	Dr27C2

Plan No	Series	Drawing Name	Draw
27-910	A	4ins standard trolley wheel (in use 1951) Dr27C2	Dr27C2
27-912	A	Stud - Windscreen wiper mounting - air brake trams Dr27C2	Dr27C2
27-915	A	Air brake cars Adjusting screw - motormans seat Dr27C2	Dr27C2
27-916	A	Air brake cars Collar for adjusting screw - motormans seat Dr27C2	Dr27C2
27-917	A	Air brake cars Seat base - motormans seat Dr27C2	Dr27C2
27-918	A	Adjusting rod - lifeguard - air brake trams Dr27C2	Dr27C2
27-921	A	Door anti - rattle roller Dr27C2	Dr27C2
27-922	A	Bracket - door anti - rattle roller Dr27C2	Dr27C2
27-923	A	Replacement axle sizes - pony axle Dr27C2	Dr27C2
27-924	A	New pony axle sizes Dr27C2	Dr27C2
27-930	A	Lead screw for window winding gear Dr27C2	Dr27C2
27-950	A	Standard trolley pole Dr27C2	Dr27C2
27-951	C	D.C. & C.I. Cars- Technical Data Dr27C5	Dr27C5
27-958	A	Motorman gong Dr27C2	Dr27C2
35-58	A	Amendment to canopy & Ceiling Dr60C1	Dr60C1
35-59	A	Truck axles Dr39C1	Dr39C1
35-60	A	Arrangement air brake gear Dr39C1	Dr39C1
35-61	A	Brake cylinder Dr39C1	Dr39C1
35-62	A	Westinghouse air brakes - platform positions Dr39C1	Dr39C1
35-63	A	Pivotal Centres of 23'6 & 26'6 Dr39C1	Dr39C1
35-64	A	Lockers on cars Dr39C1	Dr39C1
35-65	A	Car on curves - Radii 45' - 50' -60' - 75' & 100ft Dr60C1	Dr60C1
35-65	A	Car on curves - Radii 45 - 50 -60 - 75 & 100ft Dr60C1	Dr60C1
35-65	A	Car on curves - Radii 45' - 50' -60' - 75' & 100ft Dr39C1	Dr39C1
35-66	A	Headlight frame details Dr60C1	Dr60C1
35-66	A	Alterations to end seat in open compartment Dr60C1	Dr60C1
35-66	A	Headlight frame details Dr60C1	Dr60C1
35-66	A	Headlight frame details Dr39C1	Dr39C1
35-67	A	Tread plates Dr60C1	Dr60C1
35-68	A	General arrangement truck bolster Dr60C1	Dr60C1
35-68	A	DC General arrangement truck bolster Dr60C1	Dr60C1
35-69	A	DC Underframe details - Centre bearing Dr60C1	Dr60C1

Plan No	Series	Drawing Name	Draw
35-70	A	Underframe details Dr60C1	Dr60C1
35-70	A	DC Underframe details Dr60C1	Dr60C1
35-71	A	Arrangement & Detail - Doors & Sashes Dr60C1	Dr60C1
35-71	A	DC Arrangement & Detail - Doors & Sashes Dr60C1	Dr60C1
35-72	A	Proposed alteration to underframe platform Dr60C1	Dr60C1
35-72	A	DC Proposed alteration to underframe platform Dr60C1	Dr60C1
35-73	A	Windscreen plan See 63-24 Dr60C1	Dr60C1
35-73	A	DC Windscreen plan See 63-24 Dr60C1	Dr60C1
35-74	A	Proposed improved brake gear Dr39C1	Dr39C1
35-75	A	Arrangement - brake gear - air & hand brakes Dr39C1	Dr39C1
35-76	A	Brake gear Dr39C1	Dr39C1
35-77	A	Hand brake gear - details - winding gear for DC & FM stitch Dr39C1	Dr39C1
35-78	A	Details - long wheelbase truck - Centre bearing Dr39C1	Dr39C1
35-79	A	Details - long wheelbase truck Dr39C1	Dr39C1
35-80	A	DC Truck centre Bearing Dr60C1	Dr60C1
35-81	A	Seat supports& Sash separators Dr39C1	Dr39C1
35-82	A	Pressed steel louvres small Dr60C1	Dr60C1
35-82	A	Pressed steel louvres small Dr60C1	Dr60C1
35-82	A	Pressed steel louvres (small) Dr39C1	Dr39C1
35-83	A	Pressed stool louvres (large) Dr60C1	Dr60C1
35-83	A	Pressed steel louvres large Dr60C1	Dr60C1
35-83	A	Pressed steel louvres (large) Dr39C1	Dr39C1
35-84	A	Body centre bearing mounted on new design truck Dr39C1	Dr39C1
35-85	A	Alterations to end seat in open compartment Dr60C1	Dr60C1
35-85	A	Alterations to end seat in open compartment Dr39C1	Dr39C1
35-86	A	Destination sign Details Dr60C1	Dr60C1
35-87	A	Sliding door - rollers and brackets Dr39C1	Dr39C1
35-88	A	Detail of Knees Dr39C1	Dr39C1
36-53	A	Cross Sections Dr60C1 Dr60C1	Dr60C1
36-53	A	Cross Sections Dr55C1	Dr55C1
36-54	A	Pillars details Part A Dr60C1	Dr60C1
36-54	A	Pillars details Part B Dr60C1	Dr60C1

Plan No	Series	Drawing Name	Draw
36-54	A	Pillars details stitch Dr60C1	Dr60C1
36-55	A	Car body details stitch Dr60C1	Dr60C1
36-55	A	Car body details Part A Dr60C1	Dr60C1
36-55	A	Car body details Part B Dr60C1	Dr60C1
36-55	A	Car body details Part A Dr60C1	Dr60C1
36-55	A	Car body details Part B Dr60C1	Dr60C1
36-55	A	Car body details stitch Dr60C1	Dr60C1
36-56	A	Constructional details Part A Dr60C1	Dr60C1
36-56	A	Constructional details Part B Dr60C1	Dr60C1
36-56	A	Constructional details stitch Dr60C1	Dr60C1
36-56	A	Constructional details Part A Dr60C1	Dr60C1
36-56	A	Constructional details Part B Dr60C1	Dr60C1
36-56	A	Constructional details stitch Dr60C1	Dr60C1
36-57	A	Trolley Bridges stitch Dr60C1	Dr60C1
36-57	A	Trolley Bridges Part A Dr60C1	Dr60C1
36-57	A	Trolley Bridges Part B Dr60C1	Dr60C1
36-57	A	Trolley bridges Dr60C1	Dr60C1
36-57	A	Trolley bridges part A Dr60C1	Dr60C1
36-57	A	Trolley bridges part B Dr60C1	Dr60C1
36-57	A	Trolley Bridges Part A Dr60C1	Dr60C1
36-57	A	Trolley Bridges Part B Dr60C1	Dr60C1
36-57	A	Trolley Bridges stitch Dr60C1	Dr60C1
36-58	A	Arrangement over motors Part A Dr60C1	Dr60C1
36-58	A	Arrangement over motors Part B Dr60C1	Dr60C1
36-58	A	Arrangement over motors stitch Dr60C1	Dr60C1
36-60	A	Miscellaneous structural details Part A Dr60C1	Dr60C1
36-60	A	Miscellaneous structural details Part B Dr60C1	Dr60C1
36-60	A	Miscellaneous structural details stitch Dr60C1	Dr60C1
36-61	A	Arrangement - details - windscreens Part A Dr60C1	Dr60C1
36-61	A	Arrangement - details - windscreens Part B Dr60C1	Dr60C1
36-61	A	Arrangement - details - windscreens stitch Dr60C1	Dr60C1
36-62	A	Underframe details (Large) Dr60C1	Dr60C1

Plan No	Series	Drawing Name	Draw
36-62	A	Underframe details Part A Dr60C1	Dr60C1
36-62	A	Underframe details Part B Dr60C1	Dr60C1
36-62	A	Underframe details stitch Dr60C1	Dr60C1
36-63	A	Truck details Part A Dr60C1	Dr60C1
36-63	A	Truck details Part B Dr60C1	Dr60C1
36-63	A	Truck details stitch Dr60C1	Dr60C1
36-64	A	Car body details Part A Dr60C1	Dr60C1
36-64	A	Car body details Part B Dr60C1	Dr60C1
36-64	A	Car body details stitch Dr60C1	Dr60C1
36-65	A	Trolley Bridges Part A Dr60C1	Dr60C1
36-65	A	Trolley Bridges Part B Dr60C1	Dr60C1
36-65	A	Trolley Bridges stitch Dr60C1	Dr60C1
36-66	A	Detail of plate girders for underframes Dr60C1	Dr60C1
36-67	A	Truck brake details Dr60C1	Dr60C1
36-68	A	Car body brake details Dr60C1	Dr60C1
36-69	A	Brake shoe & blocks Dr60C1	Dr60C1
36-77	A	Long wheelbase truck - assembly Dr60C1	Dr60C1
36-80	A	Body side bearing Part A Dr60C1	Dr60C1
36-80	A	Body side bearing Part B Dr60C1	Dr60C1
36-80	A	Body side bearing stitch Dr60C1	Dr60C1
36-81	A	Side blinds - details stitch Dr60C1	Dr60C1
36-81	A	Side blinds - details Part A Dr60C1	Dr60C1
36-81	A	Side blinds - details Part B Dr60C1	Dr60C1
36-81	A	Side blinds Part A Dr60C1	Dr60C1
36-81	A	Side blinds Part B Dr60C1	Dr60C1
36-81	A	Side blinds stitch Dr60C1	Dr60C1
36-82	A	Double seat - details stitch Dr60C1	Dr60C1
36-82	A	Double seat - details Part A Dr60C1	Dr60C1
36-82	A	Double seat - details Part B Dr60C1	Dr60C1
36-82	A	Detail of double seat Part A Dr60C1	Dr60C1
36-82	A	Detail of double seat Part B Dr60C1	Dr60C1
36-82	A	Detail of double seat stitch Dr60C1	Dr60C1

Plan No	Series	Drawing Name	Draw
36-84	A	Detail of seats at parttion Part A Dr60C1	Dr60C1
36-84	A	Detail of seats at parttion Part B Dr60C1	Dr60C1
36-84	A	Detail of seats at parttion stitch Dr60C1	Dr60C1
36-85	A	Detail of life gear and step irons Part A Dr60C1	Dr60C1
36-85	A	Detail of life gear and step irons Part B Dr60C1	Dr60C1
36-85	A	Detail of life gear and step irons stitch Dr60C1	Dr60C1
36-86	A	Detail of double seats Part A Dr60C1	Dr60C1
36-86	A	Detail of double seats Part B Dr60C1	Dr60C1
36-86	A	Detail of double seats stitch Dr60C1	Dr60C1
36-87	A	Body details Part A Dr60C1	Dr60C1
36-87	A	Body details Part B Dr60C1	Dr60C1
36-87	A	Body details stitch Dr60C1	Dr60C1
37-221	A	58 tooth shaft addendum gear - 275 motor for DC tramcars Dr40C4	Dr40C4
37-27	A	Pressed steel seal panel Dr40C3	Dr40C3
37-28	A	Attachment method - underframe centre Dr40C3	Dr40C3
37-29	A	Arrangements and details - stiffening frame Dr40C3	Dr40C3
37-30	A	BTT 64 set car Treadplates Dr40C3	Dr40C3
37-31	A	BTT 64 set car Pressed steel panel Dr40C3	Dr40C3
37-32	A	Standard pony wheel - centre & Tyre Dr40C3	Dr40C3
37-33	A	Standard driving wheel - centre & Tyre Type A Dr40C3	Dr40C3
37-34	A	Cast steel centre - 21ins pony wheel - Type DI Dr40C3	Dr40C3
37-35	A	Truck details - brakebeam supports & kingpin Dr40C3	Dr40C3
37-36	A	Truck details - lubricator tray Dr40C3	Dr40C3
37-37	A	BTT Driving axle for truck Dr40C3	Dr40C3
37-37	A	BTT Truck end frames - open truck Dr40C3	Dr40C3
37-39	A	Truck side frame BP Dr39C2	Dr39C2
37-39	A	Truck side frame Dr39C2	Dr39C2
37-40	A	Mounting on DC Cars Westinghouse Air brakes Dr40C3	Dr40C3
37-41	A	Compressor & relay valves mounting details Westinghouse Air brakes Dr40C3	Dr40C3
37-42	A	Support brackets for compressor on DC Cars Westinghouse Air brakes Dr40C3	Dr40C3
37-43	A	Assembly of reservoirs Westinghouse Air brakes Dr40C3	Dr40C3
37-44	A	Arrangement - brake cylinder support Dr40C3	Dr40C3

Plan No	Series	Drawing Name	Draw
37-45	A	Brake release operating details & assembly Dr40C3	Dr40C3
37-46	A	Details of platform installations for air brakes Dr40C3	Dr40C3
37-47	A	Proposed diagram of air brake gear for DC cars Dr40C3	Dr40C3
37-48	A	Brake cylinder support - plate - angles for DC cars Dr40C3	Dr40C3
37-49	A	Pin bushes & Ferrules for DC cars Dr40C3	Dr40C3
37-49A	A	Pin bushes & Ferrules for DC cars Dr40C3	Dr40C3
37-49A	A	Pin bushes & Ferrules for DC cars P2 Dr40C3	Dr40C3
37-50	A	Diagram of brake gear for DC cars Dr40C3	Dr40C3
37-51	A	Detail of Machined teeth - gear & pinion for DC cars Dr40C3	Dr40C3
37-513	A	Motormans Foot rest for DC cars Dr40C4	Dr40C4
37-517	A	Motormans Seat details for DC cars Dr40C4	Dr40C4
37-52	A	Arrangement of winding gear for DC cars Dr40C3	Dr40C3
37-537	A	Standard Pony wheel hub with relief groove Dr40C4	Dr40C4
37-54	A	Diagram of brake gear hand brake only for DC cars Dr40C3	Dr40C3
37-55	A	Altered live lever for tests Dr40C3	Dr40C3
37-56	A	Car safety body brake details for DC cars Dr40C3	Dr40C3
37-57	A	Diagram of brake gear one end only for DC cars Dr40C3	Dr40C3
37-58	A	Diagram of brake gear for DC cars Dr40C3	Dr40C3
37-584	A	Diagram of air brakes system Dr40C4	Dr40C4
37-59	A	Suggested arrangement brake rigging for DC cars Dr40C3	Dr40C3
37-60	A	Diagram of brake gear for DC cars stitch Dr40C3	Dr40C3
37-60	A	Diagram of brake gear for DC cars Part A Dr40C3	Dr40C3
37-60	A	Diagram of brake gear for DC cars Part B Dr40C3	Dr40C3
37-60	A	Diagram of brake gear for DC cars Part C Dr40C3	Dr40C3
37-61	A	Details & assembly - sand gear mountings for DC cars Dr40C3	Dr40C3
37-62	A	Knot for trolley rope Dr60C1	Dr60C1
37-62	A	Knot for trolley rope Dr40C3	Dr40C3
37-62	A	Knot for trolley rope Dr60C1	Dr60C1
37-63	A	Details of amber side light Dr40C3	Dr40C3
37-64	A	Monogram BCC Dr61C1	Dr61C1
37-64	A	Monogram CBC Dr61C1	Dr61C1
37-65	A	Side pillar fittings for DC cars BP Dr40C3	Dr40C3

Plan No	Series	Drawing Name	Draw
37-65	A	Side pillar fittings for DC cars Dr40C3	Dr40C3
37-66	A	Side barrier rail guides for DC cars Dr40C3	Dr40C3
37-67	A	Body bearing centre lubricator for DC cars BP Dr40C3	Dr40C3
37-67	A	Body bearing centre lubricator for DC cars Dr40C3	Dr40C3
37-68	A	Arrangement of blinds for DC cars Dr40C3	Dr40C3
37-69	A	BTT Spring blind roller for DC cars Dr40C3	Dr40C3
37-70	A	BTT Roof handrail brackets for DC cars Dr40C3	Dr40C3
37-71	A	BTT Details destination sign box for DC cars Dr40C3	Dr40C3
37-71	A	BTT Life gear - gate trigger bracket for DC cars Dr40C3	Dr40C3
37-72	A	Advertisement racks for DC cars Dr40C3	Dr40C3
37-73	A	BTT Life gear - gate trigger bracket for DC cars Dr40C3	Dr40C3
37-74	A	BTT Arrangement - life gear for DC cars Dr40C3	Dr40C3
37-75	A	Details of waistrall moulding for DC cars Dr40C3	Dr40C3
37-76	A	Motormans seat for DC cars Dr40C3	Dr40C3
37-77	A	Proposed alterations to car seats for DC cars Dr40C3	Dr40C3
37-78	A	Car on curve radii - 42 & 50 Feet Dr40C3	Dr40C3
37-79	A	Cars on Valley Junction curves Dr40C3	Dr40C3
37-80	A	Diagram showing clearances for DC cars Dr40C3	Dr40C3
37-81	A	Cars on Valley Junction curves Dr40C3	Dr40C3
37-82	A	Proposed platform step brackets Dr40C3	Dr40C3
40-450	A	Live lever DC Car Dr40C1	Dr40C1
40-453	A	Modification to windscreen for mounting viper Air brakes Dr40C1	Dr40C1
40-504	A	Greasing chart No3 - body brake gear air brake cars Part A Dr40C1	Dr40C1
40-504	A	Greasing chart No3 - body brake gear air brake cars Part B Dr40C1	Dr40C1
40-504	A	Greasing chart No3 - body brake gear air brake cars Dr40C1	Dr40C1
40-505	A	Greasing chart No4 - body brake gear hand brake cars Dr40C1	Dr40C1
41-59	A	Destination sign details Dr60C1	Dr60C1
41-59	A	Destination sign details Dr60C1	Dr60C1
42-170	B	Open truck strengthened for fitting air brakes Dr39C2	Dr39C2
60-1013	A	Locker diagram Dr27C5	Dr27C5
60-471	A	Driving axle - comparison of existing & Timken race Dr45C1	Dr45C1
60-472	A	Pony axle - comparison of existing & Timken race Dr45C1	Dr45C1

Plan No	Series	Drawing Name	Draw
60-83	A	DK 83 motor axle & standard pony wheel BP Dr27C5	Dr27C5
60-83	A	DK 83 motor axle & standard pony wheel Dr27C5	Dr27C5
60-84	A	spiral drum hand branke arrangement BTT BP Dr27C5	Dr27C5
60-84	A	spiral drum hand branke arrangement BTT Dr27C5	Dr27C5
60-85	A	spiral drum hand branke BTT BP Dr27C5	Dr27C5
60-85	A	spiral drum hand branke BTT Dr27C5	Dr27C5
63-29	A	Main axle box (see 36-41) Dr45C1	Dr45C1
63-30	A	Pony axle box (see 36-72) Dr45C1	Dr45C1
64-62	A	Arrangement maximum traction truck BP Part A Dr60C1	Dr60C1
64-62	A	Arrangement maximum traction truck BP Part B Dr60C1	Dr60C1
64-62	A	Arrangement maximum traction truck BP stitch Dr60C1	Dr60C1
64-62	A	Arrangement maximum traction truck Part A Dr60C1	Dr60C1
64-62	A	Arrangement maximum traction truck Part B Dr60C1	Dr60C1
64-62	A	Arrangement maximum traction truck stitch Dr60C1	Dr60C1
78-1	A	Air brake layout colour Dr60C1	Dr60C1
78-1	A	Air brake layout Part A Dr60C1	Dr60C1
78-1	A	Air brake layout Part B Dr60C1	Dr60C1
78-1	A	Air brake layout Colour Part A Dr60C1	Dr60C1
78-1	A	Air brake layout Colour Part B Dr60C1	Dr60C1
78-43	A	Cross sections Dr60C1	Dr60C1
78-43	A	Bulkhead from inside saloon cross section Dr27C5	Dr27C5
78-43	A	Bulkhead from platform cross section Dr27C5	Dr27C5
78-43	A	Car end elevation A cross section Dr27C5	Dr27C5
78-43	A	Car end elevation cross section Dr27C5	Dr27C5
78-43	A	Open Compartment cross section Dr27C5	Dr27C5
78-43	A	Partition from inside saloon A cross section Dr27C5	Dr27C5
78-43	A	Partition from inside saloon cross section Dr27C5	Dr27C5
78-43	A	partition from Open Compartment cross section Dr27C5	Dr27C5
78-44	A	Destination Sign Part A Dr60C1	Dr60C1
78-44	A	Destination Sign Part B Dr60C1	Dr60C1
78-44	A	Destination Sign stitch Dr60C1	Dr60C1
78-70	A	General arrangement long wheelbase truck Dr60C1	Dr60C1

Plan No	Series	Drawing Name	Draw
78-70	A	General arrangement long wheelbase truck Part A Dr60C1	Dr60C1
78-70	A	General arrangement long wheelbase truck Part B Dr60C1	Dr60C1
Drg0000	A	DC partitions Dr45C1	Dr45C1
Drg0000	A	Brisbane drop centre Tramcar Dr60C1	Dr60C1
Drg1313	A	Dropcentre light wiring diagram Dr60C1	Dr60C1
Drg1365	A	Plan showing cable routes of DC Car stitch Dr60C1	Dr60C1
Drg1365	A	Plan showing cable routes of DC Car BP stitch Dr60C1	Dr60C1
Drg1365	A	Plan showing cable routes of DC Car BP Part A Dr60C1	Dr60C1
Drg1365	A	Plan showing cable routes of DC Car BP Part B Dr60C1	Dr60C1
Drg1365	A	Plan showing cable routes of DC Car Part A Dr60C1	Dr60C1
Drg1365	A	Plan showing cable routes of DC Car Part B Dr60C1	Dr60C1